

Tab. 1. Jęczmień ozimy. Plon ziarna przy 14% wilgotności (% wzorca). Województwo opolskie. Lata zbioru 2019, 2017-2019.

Lp.	Odmiana		Poziom a ₁					Poziom a ₂				
			2019	2018	2017*	2018-2019	2017-2019**	2019	2018	2017	2018-2019	2017-2019
Wzorzec dt/ha			88,4	77,6	86,9	83,0	84,3	103,1	89,1	112,6	96,1	101,6
1	Jakubus		111	104	-	108	-	110	104	-	107	-
2	KWS Kosmos	LOZ	103	103	115	103	107	104	101	105	102	103
3	Mirabelle		101	-	-	-	-	100	-	-	-	-
4	Titus	LOZ	101	97	98	99	99	100	101	101	100	101
5	Zenek	LOZ	104	106	101	105	104	99	103	105	101	102
6	SU Vireni	2 rz LOZ	94	105	93	99	97	92	100	94	96	95
7	Quadriga		97	100	99	99	99	98	98	108	98	101
8	Arenia		92	93	106	93	97	99	99	101	99	100
9	KWS Astaire		95	98	-	96	-	96	99	-	97	-
10	KWS Higgins		100	97	-	99	-	104	99	-	101	-
11	Zita	2 rz	100	99	-	100	-	98	100	-	99	-
12	Impala		98	-	-	-	-	95	-	-	-	-
13	SU Jule		101	-	-	-	-	103	-	-	-	-
14	Yukon		102	-	-	-	-	103	-	-	-	-
Liczba doświadczeń			4	3	4	7	11	4	4	4	8	12

Wzorzec- średnia dla wszystkich badanych odmian

a₁- przeciętny, a₂- intensywny poziom agrotechniki

* - dane z trzech lokalizacji (bez Pągowa)

** - w 2017 średnia z trzech lokalizacji (bez Pągowa)

2rz – odmiana dwurzędowa

Tab. 2. Jęczmień ozimy. Plon ziarna w miejscowościach przy 14% wilgotności (% wzorca). Lata zbioru 2019, 2017-2019.

Lp.	Odmiana	Poziom a ₁								Poziom a ₂							
		Głubczyce		Baków		Łosiów		Pągów		Głubczyce		Baków		Łosiów		Pągów	
		2019	2017-2019	2019	2017-2019	2019	2017-2019	2019	2018 i 2019	2019	2017-2019	2019	2017-2019	2019	2017-2019	2019	2017-2019
Wzorzec dt/ha		90,9	93,4	95,4	75,0	83,3	88,0	83,8	77,7	106,9	112,9	109,1	85,6	95,7	100,7	100,7	107,2
1	Jakubus	99	-	107	-	101	-	138	121	103	-	109	-	111	-	118	-
2	KWS Kosmos	109	107	106	110	93	107	105	99	110	105	105	106	96	101	103	99,3
3	Mirabelle	106	-	104	-	100	-	94	-	94	-	101	-	110	-	96	-
4	Titus	96	99	102	102	106	99	100	94	93	99	104	109	96	94	106	100,6
5	Zenek	105	104	98	103	108	105	104	103	96	99	98	104	97	100	105	105,6
6	SU Vireni	72	91	82	90	108	104	114	112	75	86	84	89	102	104	107	102,1
7	Quadriga	105	102	103	102	100	99	80	87	104	105	96	100	101	100	90	100,8
8	Arenia	92	98	95	99	90	92	91	94	103	103	98	101	94	96	103	99,7
9	KWS Astaire	103	-	98	-	88	-	90	92	103	-	96	-	90	-	94	-
10	KWS Higgins	112	-	107	-	93	-	89	91	115	-	109	-	102	-	89	-
11	Zita	85	-	89	-	114	-	113	111	86	-	89	-	111	-	105	-
12	Impala	106	-	99	-	91	-	96	-	108	-	96	-	89	-	88	-
13	SU Jule	98	-	105	-	107	-	93	-	96	-	110	-	103	-	101	-
14	Yukon	111	-	107	-	100	-	93	-	114	-	105	-	98	-	94	-

Wzorzec- średnia dla wszystkich badanych odmian;
a₁ – przeciętny, a₂ – intensywny poziom agrotechniki

Tab. 3. Jęczmień ozimy. Głubczyce - poszerzony dobór odmian. Plon ziarna przy 14% wilgotności (% wzorca). Lata zbioru 2019, 2017-2019.

L.p.	Odmiana	Poziom a ₁					Poziom a ₂				
		2019	2018	2017	2018-2019	2017-2019	2019	2018	2017	2018-2019	2017-2019
Wzorzec dt/ha		90,9	89,9	96,5	90,4	92,4	106,6	99,2	130,6	102,9	112,1
1	Jakubus	99	106	-	103	-	103	106	-	105	-
2	KWS Kosmos LOZ	109	101	113	105	108	110	98	110	104	106
3	Mirabelle	106	-	-	-	-	94	-	-	-	-
4	Antonella	96	100	103	98	100	94	102	103	98	100
5	Titus LOZ	96	101	103	98	100	93	103	103	98	100
6	Zenek LOZ	105	106	103	106	105	97	100	102	98	100
7	SU Vireni LOZ	72	103	100	87	92	75	98	88	87	87
8	Quadriga	105	109	96	107	103	104	109	103	106	105
9	Arenia	92	90	114	91	99	103	100	108	101	104
10	Kaylin	103	102	99	103	101	102	109	100	105	104
11	KWS Astaire	103	101	-	102	-	103	100	-	102	-
12	KWS Higgins	112	100	-	106	-	115	102	-	109	-
13	Zita	85	102	-	94	-	86	102	-	94	-
14	Impala	106	-	-	-	-	108	-	-	-	-
15	SU Jule	98	-	-	-	-	96	-	-	-	-
16	Yukon	111	-	-	-	-	115	-	-	-	-

Wzorzec – średnia dla wszystkich badanych odmian;
a₁ – przeciętny, a₂ – intensywny poziom agrotechniki
2rz – odmiana dwurzędowa